Ship-to Location Change

Version 6.5.0

By Musick International, Inc.

Compatibility

Compatible with Sage 300 (Erp/Accpac) 2018, 2017, 2016, 2014, 2012, v6.0. One install for Pervasive or Microsoft SQL Server.

Overview

Provides the ability to change Ship-to Location codes.

Installation

Download and install the latest release of either FixIT Professional or DataCHECK. In the folder where FixIT is installed (default is C:\FixITcc), run the install program "ShipToLocationChangeInstall.exe". If running Win7 or Win8, we recommend running as administrator.

Connect FixIT Pro or DataCHECK

The Ship-to Location Change requires the database connection to be created in FixIT or DataCheck. Start FixIT and verify the connection to the company. If the company is not listed on the "Validate" screen, select the "Locate" icon on the left toolbar. Change to "Locate Data using FixIT Path" as the default. Click "New" to add a new connection to the company database. "Apply" the changes and verify the database is available.

Running Ship-to Location Change

Before running the Ship-to Location Change, verify the company database is available in FixIT Professional. Launch the ShipToLocationChange.exe from "Start" – "Programs" – "Musick International" – "Ship-to Location Change".



Enter the “New Code” for each Customer and Location. Location codes may contain uppercase letters and numbers. Symbols and spaces are not allowed. Once the numbers are entered, click the “Change Ship-to Locations” button to process the changes.

At this point a prompt is displayed to verify a backup has been made:



The “Ship-to Location Change” will spin through the database and make all the required changes. Once the process has completed, the following message will display:



Verify the database before Starting Data Entry

There are factors beyond the control of the Ship-to Location Change Utility. We do our best to anticipate and trap various issues, but a quick validation of the Sage 300 data will ensure the process completed properly. Run the Sage 300 Data Integrity Check as well as various reports to verify the accuracy of the changes made to the database.

Log File

The Ship-to Location Change generates a complete document of each run. The audit files are located in the directory where Ship-to Location Change is installed. The file is identified by “ShipToChange” followed by the date and time of the run (ex: ShipToChange 2017-07-22 16-45-04.Log). Here is a sample log file:

>>>>>>>>>>>>>>>>>>>>>>>>>><<<<<<<<<<<<<<<<<<<<<<<<<
Ship-to Location Change Log
Database: [SQLI62] SQLI62 - 62A
Run Date: 7/14/2017 10:32:50 AM

Receiving Dock B - Original #: BB - Changed to: BBB

Run Completed: 7/14/2017 10:32:50 AM

Ship-to Location Change Completed without errors.

Please run the A/R Data Integrity and verify the customer data before doing any processing.
>>>>>>>>>>>>>>>>>>>>>>>>>><<<<<<<<<<<<<<<<<<<<<<<<<

Canceling the Process

If something interrupts you, you may need to cancel the process. Doing so will display this message:



Restart Found

When the Ship-to Location Change is canceled or interrupted, the following message will display:



It is recommended to select "Yes" to re-load the previous session and complete the process. As long as no changed have been made to the database, re-running the restart information will complete changing the ship-to locations previously in progress. Selecting "No" should only be considered if the database was restored from a backup. Otherwise some tables in the sage 300 database have the new ship-to location codes and other tables have the original codes.

Thank You for selecting Musick International.

The Staff

Support@Musick-Int.com
719-395-4124
www.Musick-Int.com
www.facebook.com/MusickInt

Copyright 2018 Musick International, Inc.